

ECLS Registry Form

Extracorporeal Life Support Organization (ELSO)

Please refer to the ELSO Registry Data Definitions Document for Details

Unique ID: _____ Birth Date: _____
(include time for neonates)

Sex: _____ (M, F, unknown) Race: _____ (Asian, Black, Hispanic, White, Middle Eastern or North African, Native American, Native Pacific Islander, Other, Unknown)

Run Information

Date/Time On: _____ Date/Time Off: _____ Support Type: Pulmonary
 Cardiac
 ECPR
 Run No: _____
 Weight (kg): _____ Height (cm): _____

Intubation:

Yes, Date Known: _____ Yes, Date/Time unknown
 Pre-existing Trach: _____ No
 Yes, Date Estimated: _____

Neonatal patients only:

Birth weight (kg): _____ Gestational age: _____
 Apgar (1 min): _____ Delivery: _____ (Vaginal, ER or Elective C-section, Unknown)
 Apgar (5 min): _____ Maternal age: _____
 CDH: Y N Unknown CDH Prenatal diagnosis: Y N Unknown
 CDH Side: _____ (Right, Left, Bilateral, Unknown)
 Repair: _____ (None, Pre-ECLS, On ECLS, Post-ECLS)

Pre-ECLS Assessment

ABG: Closest to/before ECLS, no more than 6 hours before ECLS

Date/Time: _____
 FiO2 (at ABG draw): _____ (%)
 Lactate: _____
 pH: _____ Unknown?
 PaCO2: _____
 PaO2: _____
 HCO3: _____ Unknown?
 SaO2(%): _____
 SpO2 (%): _____

Vent Settings: Closest to/before ECLS, no more than 6 hours before ECLS

No Ventilator in use:
 Date/Time: _____
 Vent Type: _____
 Rate/Hz: _____
 PIP/Ampl: _____
 PEEP: _____
 MAP: _____
 Hand bagging: Y N Unknown
(Select if hand bagged beginning in the 6hrs pre ECLS AND continuing to the time of cannulation)

Hemodynamics (Closest to and before ECLS start, ideally no more than 6 hours before ECLS start)

Date/Time: _____ SBP Unknown?
 BP: _____ SvO2: _____ PCWP: _____
 Systolic Diastolic Mean
 PAP: _____ CI: _____
 Systolic Diastolic Mean

Pre ECLS Support

Hospital Admit Date/Time: _____

Transported on ECMO Transported not on ECMO Not Transported Unknown

ELSO Center? Non ELSO Center? Center Name: _____

- If the patient was transferred on ECMO, enter the ECLS Start Date/Time as the time that your Center assumed care for the patient
- Select of an ELSO Center will allow either entering ELSO Center Number or typing name of Center. Non-ELSO Center is a free text field.

Pre-ECLS cardiac arrest? Y N Unknown Bridge to transplant? Y N Unknown

Is Trauma the underlying reason for ECLS? Y N Unknown

Mechanical Cardiac Support (Select those used or in place within 24 hours pre ECLS)

Berlin Heart BiVAD Cardiac pacemaker Cardiopulmonary bypass (CPB) Intra-aortic balloon LVAD
 Perc Ventricular Assist Device RVAD

Renal, Pulmonary and Other Support (Select those used or in place within 24 hours pre ECLS)

Inhaled Anesthetic Inhaled Epoprostenol (>6 hours) Inhaled NO (>6 hours) Liquid ventilation Plasmapheresis
 Prone Positioning (>16 hours) Renal Replacement Therapy Surfactant Therapeutic Hypothermia < 35 degrees C

Medications Excluding Vasoactives (Select those used or in place within 24 hours pre ECLS)

Alprostadil IV Bicarbonate Epoprostenol (all synthetic prostacyclin analogues) Narcotics Neuromuscular blockers
 Sildenafil Systemic Steroids THAM

Vasoactive Infusions (Select those used within 24 hours AND continuously for 6 hours pre ECLS)

Dobutamine Dopamine Enoximone Epinephrine Esmolol Levosimendan Metaraminol Metoprolol
 Milrinone Nicardipine Nitroglycerin Nitroprusside Norepinephrine Phenylephrine Tolazoline Vasopressin

ECLS Assessment

Arterial Blood Gas	Ventilator Settings
Closest to 24 hours after ECLS start, but no less than 18 hours and not more than 30 hours after ECLS start	
Date/Time: _____	No Ventilator in use: <input type="checkbox"/>
FiO2 (at ABG draw): _____ (%)	Date/Time: _____
Lactate: _____	Vent Type: _____
pH: _____ Unknown? <input type="checkbox"/>	Rate/Hz: _____
PaCO2: _____	PIP/Ampl: _____
PaO2: _____	PEEP: _____
HCO3: _____ Unknown? <input type="checkbox"/>	MAP: _____
SaO2(%): _____	Hand bagging: <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> Unknown
SpO2 (%): _____	

Hemodynamics (Closest to 24 hours after ECLS start, but no less than 18 hours and not more than 30 hours after ECLS start)

Date/Time: _____ Unknown (Select option if SBP/DBP is unavailable or unknown)

BP: _____ _____ _____ SvO2: _____ PCWP: _____
 Systolic Diastolic Mean

PAP: _____ _____ _____ CI: _____
 Systolic Diastolic Mean

Blood Pump Flow Rates (L/min)

Pump flow at 4 hours: _____ Pump flow at 24 hours: _____

ECLS Care

Unit Where Majority of ECLS Care Received

Adult Medicine ICU
 Adult Surgical ICU
 Adult Cardiac ICU
 Adult Cardiovascular ICU
 ECLS ICU
 Emergency Dept.
 Burn ICU
 Mixed ICU
 Neonatal ICU
 Pediatric ICU
 Pediatric Cardiac ICU
 Operating Room/Cath Lab
 Initiated for procedure? Yes No

Nutrition and Mobility

Enteral Feeding Date/Time (started and continued for at least 2 days) _____

Level of Mobilization at day 7 of ECLS (>8 years)	Maximum Level Achieved During ECLS (>8 years)
<input type="checkbox"/> 0 Nothing (lying in bed)	<input type="checkbox"/> 0 Nothing (lying in bed)
<input type="checkbox"/> 1 Sitting in bed, exercises in bed	<input type="checkbox"/> 1 Sitting in bed, exercises in bed
<input type="checkbox"/> 2 Passively moved to chair (no standing)	<input type="checkbox"/> 2 Passively moved to chair (no standing)
<input type="checkbox"/> 3 Sitting over edge of bed	<input type="checkbox"/> 3 Sitting over edge of bed
<input type="checkbox"/> 4 Standing (with or without assist)	<input type="checkbox"/> 4 Standing (with or without assist)
<input type="checkbox"/> 5 Transferring bed to chair	<input type="checkbox"/> 5 Transferring bed to chair
<input type="checkbox"/> 6 Marching on spot (at bedside)	<input type="checkbox"/> 6 Marching on spot (at bedside)
<input type="checkbox"/> 7 Walking with assistance of 2 or more people	<input type="checkbox"/> 7 Walking with assistance of 2 or more people
<input type="checkbox"/> 8 Walking with assistance of 1 person	<input type="checkbox"/> 8 Walking with assistance of 1 person
<input type="checkbox"/> 9 Walking independently with a gait aid	<input type="checkbox"/> 9 Walking independently with a gait aid
<input type="checkbox"/> 10 Walking independently without a gait aid	<input type="checkbox"/> 10 Walking independently without a gait aid

Mode and Cannulations

Initial Mode of ECLS

ECLS Start Date/Time: _____ ECLS/Mode Stop Date/Time: _____

ECLS mode:
 V-A (Venoarterial)
 V-V (Venovenous)
 V-VA (Veno - venoarterial)
 A-VCO2R
 VV-ECO2R
 VP (Venopulmonary)
 Other
 Unknown

Cannulas Placed for the Initial Mode of ECLS

- Please see ELSO Registry Data Definitions for specifics
- If a manufacturer or model is not listed, please contact RegistrySupport@ELSO.org

	Cannula #1	Cannula #2	Cannula #3	Cannula #4	Cannula #5
	<ul style="list-style-type: none"> • Note: Times will autopopulate with time on and off ECLS. • Only note new date/time for cannulas placed and removed during the run. 				
Start Date/Time					
End Date/Time					
Manufacturer					
Cannula Model/Size					
Pre-Existing?					
Percutaneous?					
Site (Note if Drain Y/N)					
Replaced?					
Reason?					

Equipment

- Please see ELSO Registry Data Definitions for specifics
- Specific reasons for membrane and pump replacement require a complication to be entered within 4 hours of the equipment exchange, UNLESS ECMO Stop Date/Time or Date/Time of Death is not entered within 4 hours.

Membrane Lung	#1	#2	#3
Start Date/Time			
End Date/Time			
Manufacturer			
Device			
Concurrent Membrane?			
Membrane Replaced? Reason?			
Blood Pump	#1	#2	#3
Start Date/Time			
End Date/Time			
Manufacturer			
Device			
Concurrent Blood Pump?			
Pump Replaced? Reason?			

Other Equipment	Manufacturer	Device
Heat Exchanger		
Hemofilter		
Temp Regulation Device		

Membrane Lung	#4	#5	#6
Start Date/Time			
End Date/Time			
Manufacturer			
Device			
Concurrent Membrane?			
Membrane Replaced? Reason?			
Blood Pump	#4	#5	#6
Start Date/Time			
End Date/Time			
Manufacturer			
Device			
Concurrent Blood Pump?			
Pump Replaced? Reason?			

Other Equipment	Manufacturer	Device
Heat Exchanger		
Hemofilter		
Temp Regulation Device		

Duplicate this page as required for multiple changes

Add New Mode Conversion (this section to be used only for mode conversions – must enter a Stop Date/Time for the initial mode)

ECLS Mode Start Date/Time: _____ ECLS Mode Stop Date/Time: _____

ECLS mode: V-A (Venoarterial) V-V (Venovenous) V-VA (Veno venoarterial) A-VCO2R
 VV-ECCO2R VP (Venopulmonary) Other Unknown

Cannulas Placed for this Mode of ECLS

	Cannula #1	Cannula #2	Cannula #3	Cannula #4	Cannula #5
	Note: Times will autopopulate with time on and off ECLS. Only note new date/time for cannulas placed during the run.				
Start Date/Time					
End Date/Time					
Manufacturer					
Cannula Model/Size					
Pre-Existing?					
Percutaneous?					
Site (Note if Drain Y/N)					
Replaced?					
Reason?					

Add Another Mode Conversion (this section to be used only for mode conversions – must enter a Stop Date/Time for the previous mode)

ECLS Mode Start Date/Time: _____ ECLS Mode Stop Date/Time: _____

ECLS mode: V-A (Venoarterial) V-V (Venovenous) V-VA (Veno venoarterial) A-VCO2R
 VV-ECCO2R VP (Venopulmonary) Other Unknown

Cannulas Placed for this Mode of ECLS

	Cannula #1	Cannula #2	Cannula #3	Cannula #4	Cannula #5
	Note: Times will autopopulate with time on and off ECLS. Only note new date/time for cannulas placed during the run.				
Start Date/Time					
End Date/Time					
Manufacturer					
Cannula Model/Size					
Pre-Existing?					
Percutaneous?					
Site (Note if Drain Y/N)					
Replaced?					
Reason?					

Duplicate this page as required for multiple mode changes

ECLS Complications

- Please see *ELSO Registry Data Definitions* for specifics regarding each complication definition.
- Enter multiple complications of the same type by 'add new complication' with new date/time for each occurrence.
- Complications that 'continue' for several days only need the first date of occurrence. (ie creatine >3.0) If the complication were to cease, and then re-occur, please enter the new date/time of the occurrence.
- A complication of Brain Death must be entered to allow a Date/Time of Death prior to ECMO Stop Date/Time.
- If a membrane lung failure or Blood Pump Failure is entered, an exchange should be entered in most circumstances.

Mechanical	Date/Time	Date/Time	Date/Time	Date/Time
Oxygenator Failure				
Blood Pump Failure				
Raceway Rupture				
Other Tubing Rupture				
Cannula Problems				
Circuit Change				
Temp Reg Device Malfunction				
Clots and Air Emboli				
Thombosis/Clots in Circuit Component				
Clots Hemofilter				
Air in Circuit				

Hemorrhage	Date/Time	Date/Time	Date/Time	Date/Time
GI Hemorrhage				
Peripheral Cannulation Site Bleeding				
Mediastinal Cannulation Site Bleeding				
Surgical Site Bleeding				

Neurological	Date/Time	Date/Time	Date/Time	Date/Time
Brain Death				
Seizures Clinically Determined				
Seizures Confirmed by EEG				
CNS Diffuse Ischemia				
CNS Infarction				
Intra/extra Parenchymal CNS Hemorrhage				
Intraventricular CNS Hemorrhage				
Neurosurgical intervention performed				

ECLS Complications (cont'd)

Renal	Date/Time	Date/Time	Date/Time	Date/Time
Creatinine 1.5 – 3.0				
Creatinine > 3.0				
Renal Replacement Therapy Required				

Cardiovascular	Date/Time	Date/Time	Date/Time	Date/Time
CPR Required				
Cardiac Arrhythmia				
Tamponade (not blood)				
Tamponade (blood)				

Pulmonary	Date/Time	Date/Time	Date/Time	Date/Time
Pneumothorax				
Pulmonary Hemorrhage				

Metabolic	Date/Time	Date/Time	Date/Time	Date/Time
Hyperbilirubinemia				
Moderate Hemolysis				
Severe Hemolysis				

Patient Limb	Date/Time	Date/Time	Date/Time	Date/Time
Compartment Syndrome				
Fasciotomy				
Amputation				
Ischemia Requiring Limb Reperfusion Cannula				

Infections (pre and those occurring on ECMO)

Date/Time/Estimated?	Culture Site	Organism Type	Organism

- Sites: Blood, Bone, Cerebrospinal fluid, Peritoneal fluid, Pleural fluid, Respiratory tract, Skin/soft tissue, Stool, Urine, Wound – surgical, Wound – traumatic, Other, Unknown
- Type: All, Unknown, Gram+ Bacteria, Gram– Bacteria, Mycobacterium, Fungus (yeast and mold), Viruses and Prions, Protozoa
- Selection of Type will populate specific associated organisms.
- Organisms are listed in the Data Definitions. If an organism is not listed, please contact RegistrySupport@elso.org

Outcomes

Discontinuation Reason (Why the patient was separated from ECLS)

- This may be left blank if patient was transferred on ECLS

- | | |
|--|--|
| <input type="checkbox"/> Expected recovery | <input type="checkbox"/> Pumpless Lung Assist (Pa to LA) |
| <input type="checkbox"/> Poor prognosis | <input type="checkbox"/> Heart transplant |
| <input type="checkbox"/> Resource limitation | <input type="checkbox"/> Lung transplant |
| <input type="checkbox"/> ECLS complication | <input type="checkbox"/> Heart and Lung transplant |
| <input type="checkbox"/> Transition to VAD Support | <input type="checkbox"/> Unknown |

Cannulation Repair

- This may be left blank if patient was transferred on ECLS

- | | |
|--|---|
| <input type="checkbox"/> None | <input type="checkbox"/> Common Carotid Artery |
| <input type="checkbox"/> Internal Jugular Vein | <input type="checkbox"/> Both Carotid and Jugular |
| <input type="checkbox"/> Other | |

Extubated

- This may be left blank if patient was transferred on ECLS

- | | |
|---|---|
| <input type="checkbox"/> Endotracheally extubated \geq 48 hrs | <input type="checkbox"/> N/A - Tracheostomy |
| <input type="checkbox"/> N/A - Transferred intubated | <input type="checkbox"/> N/A - Intubated at time of death |
| <input type="checkbox"/> N/A - Other | |

Oral Endotracheal Tube Removed Date/Time: _____

Discharged Alive / Transferred on ECMO

- If the patient was transferred on ECMO, enter the ECLS Stop Date/Time as the Discharged Date/Time and the Discharged Date/Time will autopopulate.
- Select of an ELSO Center will allow either entering ELSO Center Number or typing name of Center. Non-ELSO Center is a free text field.

- | | | | |
|-------------------------------------|-----------------------------|---------------------------------------|---|
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> On ECMO? | |
| ICU Discharge Date/Time: _____ | | <input type="checkbox"/> ELSO Center? | <input type="checkbox"/> Non ELSO Center? |
| Hospital Discharge Date/Time: _____ | | Center Name: _____ | |
| Death Date/Time: _____ | | | |

Discharge Location

- | | |
|--|---|
| <input type="checkbox"/> Home | <input type="checkbox"/> Transferred to Long Term Care or Rehab |
| <input type="checkbox"/> Transferred to Other Hospital | <input type="checkbox"/> Transfer to Hospice |
| <input type="checkbox"/> Other | <input type="checkbox"/> Unknown |

Form completed by: _____ Completed date is automatically added when you submit the run.

Select Validate Data – to assure mandatory fields complete, dates are correct.

Select Submit and Lock – to finalize the record and submit to ELSO.

Selection of Edit Run after Submission will allow the user to change data, but the form must be re-validated and re-submitted.

Deletion of a record must be done by ELSO Staff – please email RegistrySupport@elso.org

Any questions and concerns may be directed to RegistrySupport@elso.org